



Baltic Way 2009

Trondheim, 7. november 2009

Time allowed: $4\frac{1}{2}$ hours.

Questions may be asked during the first 30 minutes.

Problem 1. A polynomial $p(x)$ of degree $n \geq 2$ has exactly n real roots, counted with multiplicity. We know that the coefficient of x^n is 1, all the roots are less than or equal to 1, and $p(2) = 3^n$. What values can $p(1)$ take?

Problem 2. Let a_1, a_2, \dots, a_{100} be nonnegative integers satisfying the inequality

$$a_1 \cdot (a_1 - 1) \cdot \dots \cdot (a_1 - 20) + a_2 \cdot (a_2 - 1) \cdot \dots \cdot (a_2 - 20) + \dots + a_{100} \cdot (a_{100} - 1) \cdot \dots \cdot (a_{100} - 20) \leq 100 \cdot 99 \cdot 98 \cdot \dots \cdot 79.$$

Prove that $a_1 + a_2 + \dots + a_{100} \leq 9900$.

Problem 3. Let n be a given positive integer. Show that we can choose numbers $c_k \in \{-1, 1\}$ ($1 \leq k \leq n$) such that

$$0 \leq \sum_{k=1}^n c_k \cdot k^2 \leq 4.$$

Problem 4. Determine all integers $n > 1$ for which the inequality

$$x_1^2 + x_2^2 + \dots + x_n^2 \geq (x_1 + x_2 + \dots + x_{n-1})x_n$$

holds for all real x_1, x_2, \dots, x_n .

Problem 5. Let $f_0 = f_1 = 1$ and $f_{i+2} = f_{i+1} + f_i$ ($i \geq 0$). Find all real solutions of the equation

$$x^{2010} = f_{2009} \cdot x + f_{2008}.$$

Problem 6. Let a and b be integers such that the equation $x^3 - ax^2 - b = 0$ has three integer roots. Prove that $b = dk^2$, where d and k are integers and d divides a .

Problem 7. Suppose that for a prime number p and integers a, b, c the following holds:

$$6 \mid p + 1, \quad p \mid a + b + c, \quad p \mid a^4 + b^4 + c^4.$$

Prove that $p \mid a, b, c$.

Problem 8. Determine all positive integers n for which there exists a partition of the set

$$\{n, n + 1, n + 2, \dots, n + 8\}$$

into two subsets such that the product of all elements of the first subset is equal to the product of all elements of the second subset.

Problem 9. Determine all positive integers n for which $2^{n+1} - n^2$ is a prime number.

Problem 10. Let $d(k)$ denote the number of positive divisors of a positive integer k . Prove that there exist infinitely many positive integers M that cannot be written as

$$M = \left(\frac{2\sqrt{n}}{d(n)} \right)^2$$

for any positive integer n .

Problem 11. Let M be the midpoint of the side AC of a triangle ABC , and let K be a point on the ray BA beyond A . The line KM intersects the side BC at the point L . P is the point on the segment BM such that PM is the bisector of the angle LPK . The line ℓ passes through A and is parallel to BM . Prove that the projection of the point M onto the line ℓ belongs to the line PK .

Problem 12. In a quadrilateral $ABCD$ we have $AB \parallel CD$ and $AB = 2CD$. A line ℓ is perpendicular to CD and contains the point C . The circle with centre D and radius DA intersects the line ℓ at points P and Q . Prove that $AP \perp BQ$.


Problem 13. The point H is the orthocentre of a triangle ABC , and the segments AD , BE , CF are its altitudes. The points I_1, I_2, I_3 are the incentres of the triangles EHF , FHD , DHE , respectively. Prove that the lines AI_1, BI_2, CI_3 intersect at a single point.

Problem 14. For which $n \geq 2$ is it possible to find n pairwise non-similar triangles A_1, A_2, \dots, A_n such that each of them can be divided into n pairwise non-similar triangles, each of them similar to one of A_1, A_2, \dots, A_n ?

Problem 15. A unit square is cut into m quadrilaterals Q_1, \dots, Q_m . For each $i = 1, \dots, m$ let S_i be the sum of the squares of the four sides of Q_i . Prove that

$$S_1 + \dots + S_m \geq 4.$$

Problem 16. A *n-trønder walk* is a walk starting at $(0, 0)$, ending at $(2n, 0)$ with no self intersection and not leaving the first quadrant, where every step is one of the vectors $(1, 1)$, $(1, -1)$ or $(-1, 1)$. (The figure shows the possible 2-trønder walks.)



Find the number of n -trønder walks.

Problem 17. Find the largest integer n for which there exist n different integers such that none of them are divisible by either of 7, 11, and 13, but the sum of any two of them is divisible by at least one of 7, 11, and 13.

Problem 18. Let $n > 2$ be an integer. In a country there are n cities and every two of them are connected by a direct road. Each road is assigned an integer from the set $\{1, 2, \dots, m\}$ (different roads may be assigned the same number). The *priority* of a city is the sum of the numbers assigned to roads which lead to it. Find the smallest m for which it is possible that all cities have a different priority.

Problem 19. In a party of eight persons, each pair of persons either know each other or do not know each other. Each person knows exactly three of the others. Determine whether the following two conditions can be satisfied simultaneously:

- for any three persons, at least two do not know each other;
- for any four persons there are at least two who know each other.

Problem 20. In the future city Baltic Way there are sixteen hospitals. Every night exactly four of them must be on duty for emergencies. Is it possible to arrange the schedule in such a way that after twenty nights every pair of hospitals have been on common duty exactly once?